



INSTITUTE FOR ANIMAL HEALTH
Acting Director: Professor David Paton MA, VetMB, PhD, MRCVS
PIRBRIGHT LABORATORY
Ash Road,
Pirbright,
Surrey,
GU24 0NF
Intn Tel: 00 44 1483 232441
Tel: 01483 232441 Fax: 01483 232621

FMD Sequencing Report


Lab Reference WRL Batch Number: WRLFMD/2011/00020
Sender Details: [REDACTED]
Date Received: 10th March 2011
Country of Origin: Iran
Date Reported: 26th May 2011

Dear Dr. Abdollah,

Re.: Serotype A

Sequencing work has now been completed in respect of the samples you submitted and the details are as attached. Please note that all of our phylogenetic trees can be accessed via the internet at: <http://www.wrlfmd.org/>

Results Approved By:



Official Stamp:



Date:

26/5/11

A UKAS accredited testing laboratory No. 4025.

To help us improve the quality of our service, please send any suggestions or requests to the Reference Laboratory by fax (+44 (0) 1483 232621 or email: elizabeth.wilson@bbsrc.ac.uk)

FAO World Reference Laboratory for Foot-and-Mouth Disease (WRLFMD)

Genotyping Report

Report Date for this Batch: 24 May 2011

FMDV type A

Country: Iran

Period: 2011

No. of samples: 14

BATCH: WRLFMD/2011/00020



The contents of this report are copyright and should not be reproduced without permission

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/23/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-282	
Location: Fars, Iran	Topotype: ASIA
Date collected: 10/01/2011	Genotype/strain: Iran-05 ^{AFG-07}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-23.SEQ
Date received for sequencing: 18/04/2011	Date sequence last updated: 21/04/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 36 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/134/2010	IRN10134	639	630	0	98.59	1.41	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/32/2011	IRN11-32	639	630	0	98.59	1.41	ASIA	Iran-05 ^{AFG-07}
3	A/AFG/47/2010	AFG10-47	639	629	0	98.44	1.56	ASIA	Iran-05 ^{AFG-07}
4	A/AFG/10/2010	AFG10-10	639	628	0	98.28	1.72	ASIA	Iran-05 ^{AFG-07}
5	A/IRN/37/2011	IRN11-37	639	628	0	98.28	1.72	ASIA	Iran-05 ^{AFG-07}
6	A/IRN/7/2011	IRN11-07	639	628	0	98.28	1.72	ASIA	Iran-05 ^{AFG-07}
7	A/IRN/12/2011	IRN11-12	639	627	0	98.12	1.88	ASIA	Iran-05 ^{AFG-07}
8	A/IRN/215/2010	IRN10215	639	627	0	98.12	1.88	ASIA	Iran-05 ^{AFG-07}
9	A/IRN/41/2011	IRN11-41	639	627	0	98.12	1.88	ASIA	Iran-05 ^{AFG-07}
10	A/IRN/53/2011	IRN11-53	639	627	0	98.12	1.88	ASIA	Iran-05 ^{AFG-07}
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/AFG/6/2007	AFG07-06	639	608	0	95.15	4.85	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/1/2005 (EF208769)	IRN05-01	639	601	0	94.05	5.95	ASIA	Iran-05
3	A/BAR/6/2008	BAR08-06	639	598	0	93.58	6.42	ASIA	Iran-05 ^{BAR-08}
4	A/TUR/1/2008	TUR08-01	639	595	0	93.11	6.89	ASIA	Iran-05 ^{ARD-07}
5	A/TUR/33/2008	TUR08-33	639	594	0	92.96	7.04	ASIA	Iran-05 ^{EZM-07}
6	A/IRN/9/2010	IRN10-09	639	583	0	91.24	8.76	ASIA	Iran-05 ^{ESF-10}
7	A/IRN/9/2011	IRN11-09	639	582	0	91.08	8.92	ASIA	Iran-05 ^{QAZ-11}
8	A/TAI/118/87* (EF208777)	TAI87-AD	636	535	0	84.12	15.88	ASIA	Thai-87
9	A/IRN/2/87 (EF208770)	IRN87-02	636	531	0	83.49	16.51	ASIA	Iran-87
10	A/TAI/2/97 (EF208778)	TAI97-02	636	528	0	83.02	16.98	ASIA	Thai-97

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/24/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-278	
Location: Varamin, Tehran, Iran	Topotype: ASIA
Date collected: 13/01/2011	Genotype/strain: Iran-05 ^{AFG-07}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-24.SEQ
Date received for sequencing: 18/04/2011	Date sequence last updated: 21/04/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 36 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/TUR/1538/2010* (FMDI)	TUR10-AN	639	636	0	99.53	0.47	ASIA	Iran-05 ^{AFG-07}
2	A/TUR/40/2010	TUR10-40	639	636	0	99.53	0.47	ASIA	Iran-05 ^{AFG-07}
3	A/PAK/37/2010	PAK10-37	639	635	0	99.37	0.63	ASIA	Iran-05 ^{AFG-07}
4	A/TUR/16/2011	TUR11-16	639	635	0	99.37	0.63	ASIA	Iran-05 ^{AFG-07}
5	A/TUR/26/2011	TUR11-26	639	635	0	99.37	0.63	ASIA	Iran-05 ^{AFG-07}
6	A/IRN/4/2011	IRN11-04	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
7	A/TUR/5/2011	TUR11-05	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
8	A/IRN/125/2010	IRN10125	639	633	0	99.06	0.94	ASIA	Iran-05 ^{AFG-07}
9	A/IRN/5/2011	IRN11-05	639	633	0	99.06	0.94	ASIA	Iran-05 ^{AFG-07}
10	A/TUR/10/2011	TUR11-10	639	633	0	99.06	0.94	ASIA	Iran-05 ^{AFG-07}
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/AFG/6/2007	AFG07-06	639	605	0	94.68	5.32	ASIA	Iran-05 ^{AFG-07}
2	A/BAR/6/2008	BAR08-06	639	597	0	93.43	6.57	ASIA	Iran-05 ^{BAR-08}
3	A/TUR/33/2008	TUR08-33	639	596	0	93.27	6.73	ASIA	Iran-05 ^{EZM-07}
4	A/IRN/1/2005 (EF208769)	IRN05-01	639	595	0	93.11	6.89	ASIA	Iran-05
5	A/TUR/1/2008	TUR08-01	639	593	0	92.80	7.20	ASIA	Iran-05 ^{ARD-07}
6	A/IRN/9/2011	IRN11-09	639	581	0	90.92	9.08	ASIA	Iran-05 ^{QAZ-11}
7	A/IRN/9/2010	IRN10-09	639	578	0	90.45	9.55	ASIA	Iran-05 ^{ESF-10}
8	A/IRN/22/99 (EF208772)	IRN99-22	636	540	0	84.91	15.09	ASIA	Iran-99
9	A/IRN/2/87 (EF208770)	IRN87-02	636	533	0	83.81	16.19	ASIA	Iran-87
10	A/TAI/118/87* (EF208777)	TAI87-AD	636	530	0	83.33	16.67	ASIA	Thai-87

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/27/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-281	
Location: Tehran, Iran	Topotype: ASIA
Date collected: 20/01/2011	Genotype/strain: Iran-05 ^{ESF-10}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-27.SEQ
Date received for sequencing: 18/04/2011	Date sequence last updated: 21/04/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 36 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/9/2010	IRN10-09	639	614	0	96.09	3.91	ASIA	Iran-05 ^{ESF-10}
2	A/PAK/5/2006 (EF494488)	PAK06-AC	639	602	0	94.21	5.79	ASIA	Iran-05
3	A/PAK/5/2006 (FJ755084)	PAK06-05	639	602	0	94.21	5.79	ASIA	Iran-05
4	A/AFG/160/2005* (EF457982)	AFG05-AA	639	601	0	94.05	5.95	ASIA	Iran-05
5	A/AFG/183/2005* (EF457983)	AFG05-AB	639	599	0	93.74	6.26	ASIA	Iran-05
6	A/IRN/22/2005 (FJ755033)	IRN05-22	639	599	0	93.74	6.26	ASIA	Iran-05
7	A/IRN/27/2005 (FJ755037)	IRN05-27	639	599	0	93.74	6.26	ASIA	Iran-05
8	A/IRN/5/2005 (FJ755025)	IRN05-05	639	599	0	93.74	6.26	ASIA	Iran-05
9	A/IRN/5/2006 (FJ755056)	IRN06-05	639	599	0	93.74	6.26	ASIA	Iran-05
10	A/IRN/25/2005 (FJ755035)	IRN05-25	639	598	0	93.58	6.42	ASIA	Iran-05
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/9/2010	IRN10-09	639	614	0	96.09	3.91	ASIA	Iran-05 ^{ESF-10}
2	A/IRN/1/2005 (EF208769)	IRN05-01	639	597	0	93.43	6.57	ASIA	Iran-05
3	A/TUR/33/2008	TUR08-33	639	592	0	92.64	7.36	ASIA	Iran-05 ^{EZM-07}
4	A/AFG/6/2007	AFG07-06	639	591	0	92.49	7.51	ASIA	Iran-05 ^{AFG-07}
5	A/TUR/1/2008	TUR08-01	639	590	0	92.33	7.67	ASIA	Iran-05 ^{ARD-07}
6	A/BAR/6/2008	BAR08-06	639	585	0	91.55	8.45	ASIA	Iran-05 ^{BAR-08}
7	A/IRN/9/2011	IRN11-09	639	584	0	91.39	8.61	ASIA	Iran-05 ^{QAZ-11}
8	A/IRN/2/87 (EF208770)	IRN87-02	636	539	0	84.75	15.25	ASIA	Iran-87
9	A/IRN/22/99 (EF208772)	IRN99-22	636	536	0	84.28	15.72	ASIA	Iran-99
10	A/TAI/118/87* (EF208777)	TAI87-AD	636	532	0	83.65	16.35	ASIA	Thai-87

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/30/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-280	
Location: Qom, Iran	Topotype: ASIA
Date collected: 23/01/2011	Genotype/strain: Iran-05 ^{AFG-07}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-30.SEQ
Date received for sequencing: 18/04/2011	Date sequence last updated: 21/04/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 36 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/4/2011	IRN11-04	639	635	0	99.37	0.63	ASIA	Iran-05 ^{AFG-07}
2	A/TUR/5/2011	TUR11-05	639	635	0	99.37	0.63	ASIA	Iran-05 ^{AFG-07}
3	A/IRN/125/2010	IRN10125	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
4	A/IRN/5/2011	IRN11-05	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
5	A/PAK/37/2010	PAK10-37	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
6	A/TUR/10/2011	TUR11-10	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
7	A/TUR/13/2011	TUR11-13	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
8	A/TUR/14/2011	TUR11-14	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
9	A/TUR/16/2011	TUR11-16	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
10	A/TUR/18/2011	TUR11-18	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/AFG/6/2007	AFG07-06	639	606	0	94.84	5.16	ASIA	Iran-05 ^{AFG-07}
2	A/BAR/6/2008	BAR08-06	639	598	0	93.58	6.42	ASIA	Iran-05 ^{BAR-08}
3	A/IRN/1/2005 (EF208769)	IRN05-01	639	596	0	93.27	6.73	ASIA	Iran-05
4	A/TUR/33/2008	TUR08-33	639	595	0	93.11	6.89	ASIA	Iran-05 ^{EZM-07}
5	A/TUR/1/2008	TUR08-01	639	594	0	92.96	7.04	ASIA	Iran-05 ^{ARD-07}
6	A/IRN/9/2011	IRN11-09	639	580	0	90.77	9.23	ASIA	Iran-05 ^{QAZ-11}
7	A/IRN/9/2010	IRN10-09	639	579	0	90.61	9.39	ASIA	Iran-05 ^{ESF-10}
8	A/IRN/22/99 (EF208772)	IRN99-22	636	539	0	84.75	15.25	ASIA	Iran-99
9	A/IRN/2/87 (EF208770)	IRN87-02	636	534	0	83.96	16.04	ASIA	Iran-87
10	A/TAI/118/87* (EF208777)	TAI87-AD	636	530	0	83.33	16.67	ASIA	Thai-87

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/31/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-271	
Location: Ardabil, Iran	Topotype: ASIA
Date collected: 25/01/2011	Genotype/strain: Iran-05 ^{QAZ-11}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-31.SEQ
Date received for sequencing: 18/04/2011	Date sequence last updated: 21/04/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 36 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/45/2011	IRN11-45	639	637	0	99.69	0.31	ASIA	Iran-05 ^{QAZ-11}
2	A/IRN/17/2011	IRN11-17	639	636	0	99.53	0.47	ASIA	Iran-05 ^{QAZ-11}
3	A/IRN/51/2011	IRN11-51	639	635	0	99.37	0.63	ASIA	Iran-05 ^{QAZ-11}
4	A/IRN/40/2011	IRN11-40	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
5	A/IRN/9/2011	IRN11-09	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
6	A/PAK/5/2006 (EF494488)	PAK06-AC	639	601	0	94.05	5.95	ASIA	Iran-05 ^{AFG-07}
7	A/PAK/5/2006 (FJ755084)	PAK06-05	639	601	0	94.05	5.95	?	unnamed
8	A/IRN/3/2007 (FJ755060)	IRN07-03	639	598	0	93.58	6.42	ASIA	Iran-05 ^{AFG-07}
9	A/AFG/160/2005* (EF457982)	AFG05-AA	639	597	0	93.43	6.57	ASIA	Iran-05
10	A/AFG/44/2007	AFG07-44	639	597	0	93.43	6.57	ASIA	Iran-05 ^{AFG-07}
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/9/2011	IRN11-09	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
2	A/AFG/6/2007	AFG07-06	639	596	0	93.27	6.73	ASIA	Iran-05 ^{AFG-07}
3	A/IRN/1/2005 (EF208769)	IRN05-01	639	595	0	93.11	6.89	ASIA	Iran-05
4	A/BAR/6/2008	BAR08-06	639	590	0	92.33	7.67	ASIA	Iran-05 ^{BAR-08}
5	A/TUR/1/2008	TUR08-01	639	590	0	92.33	7.67	ASIA	Iran-05 ^{ARD-07}
6	A/TUR/33/2008	TUR08-33	639	586	0	91.71	8.29	ASIA	Iran-05 ^{EZM-07}
7	A/IRN/9/2010	IRN10-09	639	576	0	90.14	9.86	ASIA	Iran-05 ^{ESF-10}
8	A/TAI/118/87* (EF208777)	TAI87-AD	636	534	0	83.96	16.04	ASIA	Thai-87
9	A15/Bangkok/TAI/60 (AY593755)	TAI60--D	639	536	0	83.88	16.12	ASIA	A ₁₅
10	A/IRN/2/87 (EF208770)	IRN87-02	636	533	0	83.81	16.19	ASIA	Iran-87

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/32/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-265	
Location: South Khorasan, Iran	Topotype: ASIA
Date collected: 27/01/2011	Genotype/strain: Iran-05 ^{AFG-07}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-32.SEQ
Date received for sequencing: 18/04/2011	Date sequence last updated: 21/04/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 36 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/AFG/10/2010	AFG10-10	639	635	0	99.37	0.63	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/134/2010	IRN10134	639	635	0	99.37	0.63	ASIA	Iran-05 ^{AFG-07}
3	A/AFG/47/2010	AFG10-47	639	633	0	99.06	0.94	ASIA	Iran-05 ^{AFG-07}
4	A/IRN/37/2011	IRN11-37	639	633	0	99.06	0.94	ASIA	Iran-05 ^{AFG-07}
5	A/IRN/7/2011	IRN11-07	639	633	0	99.06	0.94	ASIA	Iran-05 ^{AFG-07}
6	A/IRN/12/2011	IRN11-12	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
7	A/IRN/215/2010	IRN10215	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
8	A/IRN/41/2011	IRN11-41	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
9	A/IRN/53/2011	IRN11-53	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
10	A/IRN/8/2011	IRN11-08	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/AFG/6/2007	AFG07-06	639	612	0	95.77	4.23	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/1/2005 (EF208769)	IRN05-01	639	603	0	94.37	5.63	ASIA	Iran-05
3	A/BAR/6/2008	BAR08-06	639	600	0	93.90	6.10	ASIA	Iran-05 ^{BAR-08}
4	A/TUR/1/2008	TUR08-01	639	598	0	93.58	6.42	ASIA	Iran-05 ^{ARD-07}
5	A/TUR/33/2008	TUR08-33	639	595	0	93.11	6.89	ASIA	Iran-05 ^{EZM-07}
6	A/IRN/9/2011	IRN11-09	639	586	0	91.71	8.29	ASIA	Iran-05 ^{QAZ-11}
7	A/IRN/9/2010	IRN10-09	639	584	0	91.39	8.61	ASIA	Iran-05 ^{ESF-10}
8	A/TAI/118/87* (EF208777)	TAI87-AD	636	534	0	83.96	16.04	ASIA	Thai-87
9	A/IRN/2/87 (EF208770)	IRN87-02	636	532	0	83.65	16.35	ASIA	Iran-87
10	A/TAI/2/97 (EF208778)	TAI97-02	636	527	0	82.86	17.14	ASIA	Thai-97

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/36/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-261	
Location: Kermanshah, Iran	Topotype: ASIA
Date collected: 07/02/2011	Genotype/strain: Iran-05 ^{AFG-07}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-36.SEQ
Date received for sequencing: 18/04/2011	Date sequence last updated: 21/04/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 36 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/53/2011	IRN11-53	639	638	0	99.84	0.16	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/41/2011	IRN11-41	639	636	0	99.53	0.47	ASIA	Iran-05 ^{AFG-07}
3	A/IRN/8/2011	IRN11-08	639	636	0	99.53	0.47	ASIA	Iran-05 ^{AFG-07}
4	A/IRN/134/2010	IRN10134	639	631	0	98.75	1.25	ASIA	Iran-05 ^{AFG-07}
5	A/IRN/32/2011	IRN11-32	639	631	0	98.75	1.25	ASIA	Iran-05 ^{AFG-07}
6	A/IRN/37/2011	IRN11-37	639	631	0	98.75	1.25	ASIA	Iran-05 ^{AFG-07}
7	A/IRN/7/2011	IRN11-07	639	631	0	98.75	1.25	ASIA	Iran-05 ^{AFG-07}
8	A/IRN/12/2011	IRN11-12	639	630	0	98.59	1.41	ASIA	Iran-05 ^{AFG-07}
9	A/AFG/10/2010	AFG10-10	639	629	0	98.44	1.56	ASIA	Iran-05 ^{AFG-07}
10	A/AFG/47/2010	AFG10-47	639	629	0	98.44	1.56	ASIA	Iran-05 ^{AFG-07}
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/AFG/6/2007	AFG07-06	639	608	0	95.15	4.85	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/1/2005 (EF208769)	IRN05-01	639	599	0	93.74	6.26	ASIA	Iran-05
3	A/BAR/6/2008	BAR08-06	639	596	0	93.27	6.73	ASIA	Iran-05 ^{BAR-08}
4	A/TUR/1/2008	TUR08-01	639	596	0	93.27	6.73	ASIA	Iran-05 ^{ARD-07}
5	A/TUR/33/2008	TUR08-33	639	593	0	92.80	7.20	ASIA	Iran-05 ^{EZM-07}
6	A/IRN/9/2011	IRN11-09	639	584	0	91.39	8.61	ASIA	Iran-05 ^{QAZ-11}
7	A/IRN/9/2010	IRN10-09	639	582	0	91.08	8.92	ASIA	Iran-05 ^{ESF-10}
8	A/TAI/118/87* (EF208777)	TAI87-AD	636	535	0	84.12	15.88	ASIA	Thai-87
9	A/IRN/2/87 (EF208770)	IRN87-02	636	530	0	83.33	16.67	ASIA	Iran-87
10	A15/Bangkok/TAI/60 (AY593755)	TAI60--D	639	529	0	82.79	17.21	ASIA	A ₁₅

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/37/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-263	
Location: Khozestan, Iran	Topotype: ASIA
Date collected: 09/02/2011	Genotype/strain: Iran-05 ^{AFG-07}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-37.SEQ
Date received for sequencing: 18/04/2011	Date sequence last updated: 21/04/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 36 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/7/2011	IRN11-07	639	639	0	100.00	0.00	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/134/2010	IRN10134	639	635	0	99.37	0.63	ASIA	Iran-05 ^{AFG-07}
3	A/IRN/32/2011	IRN11-32	639	633	0	99.06	0.94	ASIA	Iran-05 ^{AFG-07}
4	A/IRN/12/2011	IRN11-12	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
5	A/IRN/41/2011	IRN11-41	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
6	A/IRN/53/2011	IRN11-53	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
7	A/IRN/8/2011	IRN11-08	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
8	A/AFG/10/2010	AFG10-10	639	631	0	98.75	1.25	ASIA	Iran-05 ^{AFG-07}
9	A/AFG/47/2010	AFG10-47	639	631	0	98.75	1.25	ASIA	Iran-05 ^{AFG-07}
10	A/IRN/36/2011	IRN11-36	639	631	0	98.75	1.25	ASIA	Iran-05 ^{AFG-07}
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/AFG/6/2007	AFG07-06	639	610	0	95.46	4.54	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/1/2005 (EF208769)	IRN05-01	639	602	0	94.21	5.79	ASIA	Iran-05
3	A/BAR/6/2008	BAR08-06	639	598	0	93.58	6.42	ASIA	Iran-05 ^{BAR-08}
4	A/TUR/1/2008	TUR08-01	639	597	0	93.43	6.57	ASIA	Iran-05 ^{ARD-07}
5	A/TUR/33/2008	TUR08-33	639	594	0	92.96	7.04	ASIA	Iran-05 ^{EZM-07}
6	A/IRN/9/2011	IRN11-09	639	585	0	91.55	8.45	ASIA	Iran-05 ^{QAZ-11}
7	A/IRN/9/2010	IRN10-09	639	583	0	91.24	8.76	ASIA	Iran-05 ^{ESF-10}
8	A/TAI/118/87* (EF208777)	TAI87-AD	636	537	0	84.43	15.57	ASIA	Thai-87
9	A/IRN/2/87 (EF208770)	IRN87-02	636	535	0	84.12	15.88	ASIA	Iran-87
10	A15/Bangkok/TAI/60 (AY593755)	TAI60--D	639	530	0	82.94	17.06	ASIA	A ₁₅

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A WRLFMD Ref No: IRN/40/2011 Batch No: WRLFMD/2011/00020 Sender Ref: IR-89-267 Location: Gilan, Iran Date collected: 16/02/2011 Date received by WRLFMD: 10/03/2011 Date received for sequencing: 18/04/2011 Species: Cattle Material used: BTy1 Region sequenced: VP1 RT-PCR primers: A-1C562F/EUR-2B52R A-1C612F/EUR-2B52R	Report date: 24/05/2011 Reported by: N.J. Knowles Checked by: D.P. King Topotype: ASIA Genotype/strain: Iran-05 ^{QAZ-11} Sequence filename: IRN11-40.SEQ Date sequence last updated: 21/04/2011 No. of Nt determined: 639 No. of ambiguities: 0 Gene length: 639 Total no. of comparisons: 1298 Min. no. of nt for comparison: 600 Total turn-around time: 75 days Sequencing time: 36 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/17/2011	IRN11-17	639	635	0	99.37	0.63	ASIA	Iran-05 ^{QAZ-11}
2	A/IRN/31/2011	IRN11-31	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
3	A/IRN/45/2011	IRN11-45	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
4	A/IRN/51/2011	IRN11-51	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
5	A/IRN/9/2011	IRN11-09	639	633	0	99.06	0.94	ASIA	Iran-05 ^{QAZ-11}
6	A/PAK/5/2006 (EF494488)	PAK06-AC	639	600	0	93.90	6.10	ASIA	Iran-05
7	A/PAK/5/2006 (FJ755084)	PAK06-05	639	600	0	93.90	6.10	ASIA	Iran-05
8	A/IRN/15/2007 (FJ755061)	IRN07-15	639	597	0	93.43	6.57	ASIA	Iran-05 ^{AFG-07}
9	A/AFG/160/2005* (EF457982)	AFG05-AA	639	596	0	93.27	6.73	ASIA	Iran-05
10	A/AFG/44/2007	AFG07-44	639	596	0	93.27	6.73	ASIA	Iran-05 ^{AFG-07}
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/9/2011	IRN11-09	639	633	0	99.06	0.94	ASIA	Iran-05 ^{QAZ-11}
2	A/AFG/6/2007	AFG07-06	639	595	0	93.11	6.89	ASIA	Iran-05 ^{AFG-07}
3	A/IRN/1/2005 (EF208769)	IRN05-01	639	594	0	92.96	7.04	ASIA	Iran-05
4	A/BAR/6/2008	BAR08-06	639	589	0	92.18	7.82	ASIA	Iran-05 ^{BAR-08}
5	A/TUR/1/2008	TUR08-01	639	589	0	92.18	7.82	ASIA	Iran-05 ^{ARD-07}
6	A/TUR/33/2008	TUR08-33	639	587	0	91.86	8.14	ASIA	Iran-05 ^{EZM-07}
7	A/IRN/9/2010	IRN10-09	639	579	0	90.61	9.39	ASIA	Iran-05 ^{ESF-10}
8	A15/Bangkok/TAI/60 (AY593755)	TAI60--D	639	537	0	84.04	15.96	ASIA	A ₁₅
9	A/IRN/2/87 (EF208770)	IRN87-02	636	534	0	83.96	16.04	ASIA	Iran-87
10	A/IRN/22/99 (EF208772)	IRN99-22	636	534	0	83.96	16.04	ASIA	Iran-99

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/41/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-275	
Location: Natanz, Esfahan, Iran	Topotype: ASIA
Date collected: 16/02/2011	Genotype/strain: Iran-05 ^{AFG-07}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-41.SEQ
Date received for sequencing: 21/04/2011	Date sequence last updated: 04/05/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 33 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/53/2011	IRN11-53	639	637	0	99.69	0.31	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/8/2011	IRN11-08	639	637	0	99.69	0.31	ASIA	Iran-05 ^{AFG-07}
3	A/IRN/36/2011	IRN11-36	639	636	0	99.53	0.47	ASIA	Iran-05 ^{AFG-07}
4	A/IRN/134/2010	IRN10134	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
5	A/IRN/32/2011	IRN11-32	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
6	A/IRN/37/2011	IRN11-37	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
7	A/IRN/7/2011	IRN11-07	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
8	A/IRN/12/2011	IRN11-12	639	631	0	98.75	1.25	ASIA	Iran-05 ^{AFG-07}
9	A/AFG/10/2010	AFG10-10	639	630	0	98.59	1.41	ASIA	Iran-05 ^{AFG-07}
10	A/AFG/47/2010	AFG10-47	639	630	0	98.59	1.41	ASIA	Iran-05 ^{AFG-07}
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/AFG/6/2007	AFG07-06	639	609	0	95.31	4.69	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/1/2005 (EF208769)	IRN05-01	639	600	0	93.90	6.10	ASIA	Iran-05
3	A/BAR/6/2008	BAR08-06	639	597	0	93.43	6.57	ASIA	Iran-05 ^{BAR-08}
4	A/TUR/1/2008	TUR08-01	639	597	0	93.43	6.57	ASIA	Iran-05 ^{ARD-07}
5	A/TUR/33/2008	TUR08-33	639	594	0	92.96	7.04	ASIA	Iran-05 ^{EZM-07}
6	A/IRN/9/2010	IRN10-09	639	583	0	91.24	8.76	ASIA	Iran-05 ^{ESF-10}
7	A/IRN/9/2011	IRN11-09	639	583	0	91.24	8.76	ASIA	Iran-05 ^{QAZ-11}
8	A/TAI/118/87* (EF208777)	TAI87-AD	636	534	0	83.96	16.04	ASIA	Thai-87
9	A/IRN/2/87 (EF208770)	IRN87-02	636	531	0	83.49	16.51	ASIA	Iran-87
10	A/IRN/22/99 (EF208772)	IRN99-22	636	527	0	82.86	17.14	ASIA	Iran-99

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/45/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-269	
Location: East Azerbaijan, Iran	Topotype: ASIA
Date collected: 20/02/2011	Genotype/strain: Iran-05 ^{QAZ-11}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-45.SEQ
Date received for sequencing: 18/04/2011	Date sequence last updated: 21/04/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 36 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/31/2011	IRN11-31	639	637	0	99.69	0.31	ASIA	Iran-05 ^{QAZ-11}
2	A/IRN/17/2011	IRN11-17	639	636	0	99.53	0.47	ASIA	Iran-05 ^{QAZ-11}
3	A/IRN/51/2011	IRN11-51	639	635	0	99.37	0.63	ASIA	Iran-05 ^{QAZ-11}
4	A/IRN/40/2011	IRN11-40	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
5	A/IRN/9/2011	IRN11-09	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
6	A/PAK/5/2006 (EF494488)	PAK06-AC	639	601	0	94.05	5.95	ASIA	Iran-05
7	A/PAK/5/2006 (FJ755084)	PAK06-05	639	601	0	94.05	5.95	ASIA	Iran-05
8	A/AFG/160/2005* (EF457982)	AFG05-AA	639	597	0	93.43	6.57	ASIA	Iran-05
9	A/AFG/44/2007	AFG07-44	639	597	0	93.43	6.57	ASIA	Iran-05 ^{AFG-07}
10	A/IRN/50/2005 (FJ755051)	IRN05-50	639	597	0	93.43	6.57	ASIA	Iran-05
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/9/2011	IRN11-09	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
2	A/AFG/6/2007	AFG07-06	639	596	0	93.27	6.73	ASIA	Iran-05 ^{AFG-07}
3	A/IRN/1/2005 (EF208769)	IRN05-01	639	595	0	93.11	6.89	ASIA	Iran-05
4	A/BAR/6/2008	BAR08-06	639	590	0	92.33	7.67	ASIA	Iran-05 ^{BAR-08}
5	A/TUR/1/2008	TUR08-01	639	590	0	92.33	7.67	ASIA	Iran-05 ^{ARD-07}
6	A/TUR/33/2008	TUR08-33	639	586	0	91.71	8.29	ASIA	Iran-05 ^{EZM-07}
7	A/IRN/9/2010	IRN10-09	639	576	0	90.14	9.86	ASIA	Iran-05 ^{ESF-10}
8	A/TAI/118/87* (EF208777)	TAI87-AD	636	534	0	83.96	16.04	ASIA	Thai-87
9	A15/Bangkok/TAI/60 (AY593755)	TAI60--D	639	536	0	83.88	16.12	ASIA	A15
10	A/IRN/2/87 (EF208770)	IRN87-02	636	533	0	83.81	16.19	ASIA	Iran-87

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/51/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-277	
Location: Gilan, Iran	Topotype: ASIA
Date collected: 01/01/2011	Genotype/strain: Iran-05 ^{QAZ-11}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-51.SEQ
Date received for sequencing: 21/04/2011	Date sequence last updated: 04/05/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 33 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/17/2011	IRN11-17	639	636	0	99.53	0.47	ASIA	Iran-05 ^{QAZ-11}
2	A/IRN/31/2011	IRN11-31	639	635	0	99.37	0.63	ASIA	Iran-05 ^{QAZ-11}
3	A/IRN/45/2011	IRN11-45	639	635	0	99.37	0.63	ASIA	Iran-05 ^{QAZ-11}
4	A/IRN/40/2011	IRN11-40	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
5	A/IRN/9/2011	IRN11-09	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
6	A/PAK/5/2006 (EF494488)	PAK06-AC	639	601	0	94.05	5.95	ASIA	Iran-05
7	A/PAK/5/2006 (FJ755084)	PAK06-05	639	601	0	94.05	5.95	ASIA	Iran-05
8	A/AFG/160/2005* (EF457982)	AFG05-AA	639	597	0	93.43	6.57	ASIA	Iran-05
9	A/AFG/44/2007	AFG07-44	639	597	0	93.43	6.57	ASIA	Iran-05 ^{AFG-07}
10	A/IRN/50/2005 (FJ755051)	IRN05-50	639	597	0	93.43	6.57	ASIA	Iran-05
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/9/2011	IRN11-09	639	634	0	99.22	0.78	ASIA	Iran-05 ^{QAZ-11}
2	A/AFG/6/2007	AFG07-06	639	596	0	93.27	6.73	ASIA	Iran-05 ^{AFG-07}
3	A/IRN/1/2005 (EF208769)	IRN05-01	639	595	0	93.11	6.89	ASIA	Iran-05
4	A/TUR/1/2008	TUR08-01	639	592	0	92.64	7.36	ASIA	Iran-05 ^{ARD-07}
5	A/BAR/6/2008	BAR08-06	639	590	0	92.33	7.67	ASIA	Iran-05 ^{BAR-08}
6	A/TUR/33/2008	TUR08-33	639	586	0	91.71	8.29	ASIA	Iran-05 ^{EZM-07}
7	A/IRN/9/2010	IRN10-09	639	576	0	90.14	9.86	ASIA	Iran-05 ^{ESF-10}
8	A/TAI/118/87* (EF208777)	TAI87-AD	636	534	0	83.96	16.04	ASIA	Thai-87
9	A15/Bangkok/TAI/60 (AY593755)	TAI60--D	639	536	0	83.88	16.12	ASIA	A15
10	A/IRN/2/87 (EF208770)	IRN87-02	636	533	0	83.81	16.19	ASIA	Iran-87

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/52/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-279	
Location: RAZI, Iran	Topotype: ASIA
Date collected: 01/01/2011	Genotype/strain: Iran-05 ^{AFG-07}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-52.SEQ
Date received for sequencing: 21/04/2011	Date sequence last updated: 04/05/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 33 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/20/2011	IRN11-20	639	638	0	99.84	0.16	ASIA	Iran-05 ^{AFG-07}
2	A/TUR/14/2011	TUR11-14	639	638	0	99.84	0.16	ASIA	Iran-05 ^{AFG-07}
3	A/IRN/4/2011	IRN11-04	639	635	0	99.37	0.63	ASIA	Iran-05 ^{AFG-07}
4	A/TUR/5/2011	TUR11-05	639	635	0	99.37	0.63	ASIA	Iran-05 ^{AFG-07}
5	A/IRN/125/2010	IRN10125	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
6	A/IRN/5/2011	IRN11-05	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
7	A/PAK/37/2010	PAK10-37	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
8	A/TUR/10/2011	TUR11-10	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
9	A/TUR/13/2011	TUR11-13	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
10	A/TUR/16/2011	TUR11-16	639	634	0	99.22	0.78	ASIA	Iran-05 ^{AFG-07}
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/AFG/6/2007	AFG07-06	639	604	0	94.52	5.48	ASIA	Iran-05 ^{AFG-07}
2	A/BAR/6/2008	BAR08-06	639	596	0	93.27	6.73	ASIA	Iran-05 ^{BAR-08}
3	A/TUR/33/2008	TUR08-33	639	595	0	93.11	6.89	ASIA	Iran-05 ^{EZM-07}
4	A/IRN/1/2005 (EF208769)	IRN05-01	639	594	0	92.96	7.04	ASIA	Iran-05
5	A/TUR/1/2008	TUR08-01	639	592	0	92.64	7.36	ASIA	Iran-05 ^{ARD-07}
6	A/IRN/9/2010	IRN10-09	639	581	0	90.92	9.08	ASIA	Iran-05 ^{ESF-10}
7	A/IRN/9/2011	IRN11-09	639	580	0	90.77	9.23	ASIA	Iran-05 ^{QAZ-11}
8	A/IRN/22/99 (EF208772)	IRN99-22	636	539	0	84.75	15.25	ASIA	Iran-99
9	A/IRN/2/87 (EF208770)	IRN87-02	636	534	0	83.96	16.04	ASIA	Iran-87
10	A/TAI/118/87* (EF208777)	TAI87-AD	636	533	0	83.81	16.19	ASIA	Thai-87

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

FAO World Reference Laboratory for FMD Genotyping Report

IAH-P-EP-MEG-FOR-005-3

Page 1 of 1

Serotype: A	Report date: 24/05/2011
WRLFMD Ref No: IRN/53/2011	Reported by: N.J. Knowles
Batch No: WRLFMD/2011/00020	Checked by: D.P. King
Sender Ref: IR-89-290	
Location: Lorestan, Iran	Topotype: ASIA
Date collected: 01/01/2011	Genotype/strain: Iran-05 ^{AFG-07}
Date received by WRLFMD: 10/03/2011	Sequence filename: IRN11-53.SEQ
Date received for sequencing: 21/04/2011	Date sequence last updated: 04/05/2011
Species: Cattle	No. of Nt determined: 639
Material used: BTy1	No. of ambiguities: 0
Region sequenced: VP1	Gene length: 639
RT-PCR primers: A-1C562F/EUR-2B52R	Total no. of comparisons: 1298
A-1C612F/EUR-2B52R	Min. no. of nt for comparison: 600
	Total turn-around time: 75 days
	Sequencing time: 33 days
Comments:	

Most Closely Related Viruses									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/IRN/36/2011	IRN11-36	639	638	0	99.84	0.16	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/41/2011	IRN11-41	639	637	0	99.69	0.31	ASIA	Iran-05 ^{AFG-07}
3	A/IRN/8/2011	IRN11-08	639	637	0	99.69	0.31	ASIA	Iran-05 ^{AFG-07}
4	A/IRN/134/2010	IRN10134	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
5	A/IRN/32/2011	IRN11-32	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
6	A/IRN/37/2011	IRN11-37	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
7	A/IRN/7/2011	IRN11-07	639	632	0	98.90	1.10	ASIA	Iran-05 ^{AFG-07}
8	A/IRN/12/2011	IRN11-12	639	631	0	98.75	1.25	ASIA	Iran-05 ^{AFG-07}
9	A/AFG/10/2010	AFG10-10	639	630	0	98.59	1.41	ASIA	Iran-05 ^{AFG-07}
10	A/AFG/47/2010	AFG10-47	639	630	0	98.59	1.41	ASIA	Iran-05 ^{AFG-07}
Most Closely Related Reference Viruses									
(see http://www.wrlfmd.org/fmd_genotyping/prototypes.htm)									
Pos.	Virus name	Filename	No. nt comp.	No. nt match.	No. of ambig.	% Id.	% Diff.	Topotype	Strain
1	A/AFG/6/2007	AFG07-06	639	609	0	95.31	4.69	ASIA	Iran-05 ^{AFG-07}
2	A/IRN/1/2005 (EF208769)	IRN05-01	639	600	0	93.90	6.10	ASIA	Iran-05
3	A/BAR/6/2008	BAR08-06	639	597	0	93.43	6.57	ASIA	Iran-05 ^{BAR-08}
4	A/TUR/1/2008	TUR08-01	639	597	0	93.43	6.57	ASIA	Iran-05 ^{ARD-07}
5	A/TUR/33/2008	TUR08-33	639	594	0	92.96	7.04	ASIA	Iran-05 ^{EZM-07}
6	A/IRN/9/2011	IRN11-09	639	585	0	91.55	8.45	ASIA	Iran-05 ^{QAZ-11}
7	A/IRN/9/2010	IRN10-09	639	583	0	91.24	8.76	ASIA	Iran-05 ^{ESF-10}
8	A/TAI/118/87* (EF208777)	TAI87-AD	636	536	0	84.28	15.72	ASIA	Thai-87
9	A/IRN/2/87 (EF208770)	IRN87-02	636	531	0	83.49	16.51	ASIA	Iran-87
10	A/IRN/22/99 (EF208772)	IRN99-22	636	527	0	82.86	17.14	ASIA	Iran-99

nt, nucleotides

*, not a WRLFMD reference number

Assembled with Report Generator v4.1

© Institute for Animal Health

Report on FMDV A in Iran in 2011

Batch: WRLFMD/2011/00020

◆ indicates viruses in this batch

Software: MEGA 5.0

Analysis

----- Phylogeny Reconstruction

Scope ----- All Selected Taxa

Statistical Method ----- Neighbor-joining

Phylogeny Test

Test of Phylogeny ----- Bootstrap method

No. of Bootstrap Replications ----- 1000

Substitution Model

Substitutions Type ----- Nucleotide

Model/Method ----- Kimura 2-parameter model

Substitutions to Include ----- d: Transitions + Transversions

Rates and Patterns

Rates among Sites ----- Uniform rates

Pattern among Lineages ----- Same (Homogeneous)

Data Subset to Use

Gaps/Missing Data Treatment ----- Pairwise deletion

Codons Included ----- 1st+2nd+3rd+Non-Coding

No. of Sites : 639

No Of Bootstrap Reps = 1000

Only bootstrap values of 70% and above are shown

*, not a WRLFMD Ref. No.

N.J. Knowles & J. Wadsworth, 24 May 2011

© Institute for Animal Health

new Iran-05 sub-lineages



Report on FMDV A in Iran in 2011

Batch: WRLFMD/2011/00020

◆ indicates viruses in this batch

A/ASIA/Iran-05^{AFG-07}

