

INSTITUTE FOR ANIMAL HEALTH

Director: Professor Martin W. Shirley, PhD

PIRBRIGHT LABORATORY

Ash Road,

Pirbright,

Surrey,

GU24 ONF

Intn Tel: 00 44 1483 232441

Tel: 01483 232441 Fax: 01483 232621

FMD Vaccine Matching Strain Differentiation Report

Lab Reference WRL Batch Number:

WRLFMD/2010/00035

Sender Details:

Date Received:

5th November 2010

Country of Origin:

Vietnam

Date Reported:

17th January 2011

Re.: Serotype O

Report no:	VNT							LPBE		
Vaccine: Field Isolate:	VNT	O 3039	O 4625	O Bfs	O Ind R2/75	O Manisa	O Taw98	LPBE	O BFS 1860	O Manisa
O Vit 2/2010	Mean	>0.72	0.42 >0.5	0.10	0.36	0.28	0.52	Mean	0.16	0.50
O Vit 12/2010	Mean	>0.66	6	0.13	0.36	0.44	>0.78	Mean	0.38	0.89

Results Approved By:

Official Stamp:





17/11/11



To help us improve the quality of our service, please send any suggestions or requests to the Reference Laboratory by fax (+44 (0) 1483 232621 or email: elizabeth.wilson@bbsrc.ac.uk)

Interpretation of Results

In the case of Virus Neutralisation Test (VNT):

 $r_1 = \ge 0.3$. Suggests that there is a close relationship between field isolate and vaccine strain. A potent vaccine containing the vaccine strain is likely to confer protection.

 r_1 = < 0.3. Suggests that the field isolate is so different from the vaccine strain that the vaccine is unlikely to protect.

ND = Not done.

In the case of Liquid Phase Blocking Elisa (LPBE):

 r_1 = 0.4-1.0. Suggests that there is a close relationship between field isolate and vaccine strain. A potent vaccine containing the vaccine strain is likely to confer protection.

 r_1 = 0.2-0.39, Suggests that the field isolate is antigenically related to the vaccine strain. The vaccine strain might be suitable for use if no closer match can be found provided that a potent vaccine is used and animals are preferably immunised more than once.

 r_1 = <0.2. Suggests that the field isolate is so different from the vaccine strain that the vaccine is unlikely to protect.

DNT = Did not trap.

ND = Not done.