

INSTITUTE FOR ANIMAL HEALTH

Director: Professor Martin W. Shirley, PhD

PIRBRIGHT LABORATORY

Ash Road,

Pirbright,

Surrey,

GU24 ONF

Intn Tel: 00 44 1483 232441

Tel: 01483 232441 Fax: 01483 232621

FMD Vaccine Matching Strain Differentiation Report

Lab Reference WRL Batch Number:

Sender Details:

WRLFMD/2010/00031

Date Received:

2nd September 2010

Country of Origin:

Turkey

Date Reported:

14th January 2011

Report no:	VNT							LPBE		
Vaccine: Field Isolate:	VNT	A Eritrea	A Ind 17/82	A Iran 2005	A22 Irq	A Sau 41/91	A Tur06	LPBE	A22 Irq 24/64	A Irn 99
A Tur 20/10 A Tur	Mean	0.25	0.37	0.38	0.24	0.06	0.39	Mean	0.08	0.12
34/10	Mean	0.16	0.12	0.51	0.24	0.10	0.46	Mean	0.19	DNT

Results Approved By:



Official Stamp:



Date:

To help us improve the quality of our service, please send any suggestions or requests to the Reference Laboratory by fax (+44 (0) 1483 232621 or email: elizabeth.wilson@bbsrc.ac.uk)

Interpretation of Results

In the case of Virus Neutralisation Test (VNT):

 $r_1 = \ge 0.3$. Suggests that there is a close relationship between field isolate and vaccine strain. A potent vaccine containing the vaccine strain is likely to confer protection.

 r_1 = < 0.3. Suggests that the field isolate is so different from the vaccine strain that the vaccine is unlikely to protect.

ND = Not done.

In the case of Liquid Phase Blocking Elisa (LPBE):

 r_1 = 0.4-1.0. Suggests that there is a close relationship between field isolate and vaccine strain. A potent vaccine containing the vaccine strain is likely to confer protection.

 r_1 = 0.2-0.39, Suggests that the field isolate is antigenically related to the vaccine strain. The vaccine strain might be suitable for use if no closer match can be found provided that a potent vaccine is used and animals are preferably immunised more than once.

 r_1 = <0.2. Suggests that the field isolate is so different from the vaccine strain that the vaccine is unlikely to protect.

DNT = Did not trap.

ND = Not done.